

## EAST Search History

S79	1	S78 same ((storage adj area adj network) or SAN) same server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 23:16
S80	12	S78 and ((storage adj area adj network) or SAN) and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 23:17
S81	25	(apply\$4 or using or insert\$4) same algorithm same (particular adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:46
S82	26784	gateway same (route or router or bridge or routing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:28
S83	0	S82 same S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:29
S84	2	S82 and S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:38
S85	464623	(storage adj area adj network) or SAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:38
S86	1	S85 and S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:38

## EAST Search History

S87	1792	(714/4).cccls.	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2007/05/02 13:43
S88	1511	(370/351).cccls.	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2007/05/02 13:43
S89	766	(370/356).cccls.	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2007/05/02 13:43
S90	5	algorithm near3 (particular adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:46

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1588	(714/4).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 14:37
S3	421139	(storage adj area adj network) or SAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 15:54
S4	180	(routing adj path) same gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 15:55
S5	362705	algorithm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 07:59
S6	0	S3 same S4 same S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 15:57
S7	25	S3 and S4 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 15:58
S8	19	S7 and configu\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 15:58
S9	13	("6154850" "6665812").PN"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 21:41

## EAST Search History

S10	180	(routing adj path) same gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 21:41
S11	362705	algorithm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 21:41
S12	7	S10 same S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 07:30
S13	12	S10 same configur\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 22:21
S14	21751	gateway same (route or router or bridge or routing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 23:14
S15	8512	S14 same (configur\$3 or establish\$3 or build\$3 or set\$3 or determin\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 07:34
S16	3083	S15 same (path or line or direction or way)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 07:35
S17	1598	S15 same (path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 07:36

## EAST Search History

S18	421139	(storage adj area adj network) or SAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 07:36
S19	9	S17 same S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 07:36
S20	343	S17 and S15 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 07:59
S21	6	S20 and ("714"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 08:05
S22	213	S20 and ("370"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 08:08
S23	180	(routing adj path) same gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 08:09
S24	25	S22 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 08:19
S25	362705	algorithm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 08:19

## EAST Search History

S26	129	S22 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 08:19
S27	0	S22 and (algorithm near5 ((logical adj unit adj number) or LUN or (interface adj card adj number) or (target adj number)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 08:22
S28	15290	S26 and (logical adj unit adj number) or LUN or (interface adj card adj number) or (target adj number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 08:23
S29	8	S26 and ((logical adj unit adj number) or LUN or (interface adj card adj number) or (target adj number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 08:23
S30	95	(adams-aland\$ or ziegler-michael\$ or quan-bo\$ or greenidge-scott\$).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 08:29
S31	112	configur\$3 same gateway same route same path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 23:11
S32	183534	determin\$3 same address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 08:30
S33	71	S31 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 08:30

## EAST Search History

S34	25	S33 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 08:35
S35	14	S31 same address same switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 08:36
S36	5	S35 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 08:36
S37	1	"5819296".PN.	USPAT; USOCR	OR	ON	2006/06/30 08:50
S38	1	"5832515".PN.	USPAT; USOCR	OR	ON	2006/06/30 08:50
S39	1	"5852724".PN.	USPAT; USOCR	OR	ON	2006/06/30 08:50
S40	1	"5872931".PN.	USPAT; USOCR	OR	ON	2006/06/30 08:51
S41	1	"5944782".PN.	USPAT; USOCR	OR	ON	2006/06/30 08:51
S42	1	"5996054".PN.	USPAT; USOCR	OR	ON	2006/06/30 08:51
S43	1	"6021408".PN.	USPAT; USOCR	OR	ON	2006/06/30 08:52
S44	1	"6067607".PN.	USPAT; USOCR	OR	ON	2006/06/30 08:52
S45	1	"6101508".PN.	USPAT; USOCR	OR	ON	2006/06/30 08:52
S46	1	"6195730".PN.	USPAT; USOCR	OR	ON	2006/06/30 08:54
S47	1	"6256683".PN.	USPAT; USOCR	OR	ON	2006/06/30 08:54
S48	1	"6282710".PN.	USPAT; USOCR	OR	ON	2006/06/30 08:55
S49	1	"6460113".PN.	USPAT; USOCR	OR	ON	2006/06/30 08:55
S50	1	"6553408".PN.	USPAT; USOCR	OR	ON	2006/06/30 08:56

## EAST Search History

S51	1	"6578158".PN.	USPAT; USOCR	OR	ON	2006/06/30 08:56
S52	1	"6640278".PN.	USPAT; USOCR	OR	ON	2006/06/30 08:56
S53	1	"20050055603".PN.	US-PGPUB	OR	ON	2006/06/30 08:58
S54	1	"5852724".PN.	USPAT; USOCR	OR	ON	2006/06/30 08:59
S55	1	"6101508".PN.	USPAT; USOCR	OR	ON	2006/06/30 08:59
S56	1346	(370/351).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 14:37
S57	620	(370/356).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 14:38
S58	2	"20050193272"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/03 15:01
S59	4	((("20050193272") or ("20050188256"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 15:01
S60	2	("20030192032").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/29 14:24
S61	126	(rout\$3 or bridge) same gateway same ((storage adj area adj network) or SAN) same server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 14:28



## EAST Search History

S62	3	S61 same algorithm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 14:30
S63	49	S61 and algorithm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 14:31
S64	2133	route adj path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 14:31
S65	4	S63 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 14:31
S66	1998	(configur\$3 or establish\$3 or build\$3) adj2 gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 14:32
S67	5	S63 and S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 14:37
S68	1694	(714/4).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/02 13:43
S69	1381	(370/351).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/02 13:43
S70	688	(370/356).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/29 14:38

## EAST Search History

S71	126	(rout\$3 or bridge) same gateway same ((storage adj area adj network) or SAN) same server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 23:16
S72	49	S71 and algorithm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 22:54
S73	126	(rout\$3 or bridge) same gateway same ((storage adj area adj network) or "SAN") same server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 22:57
S74	389910	algorithm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 23:11
S75	128	configur\$3 same gateway same route same path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 23:11
S76	5	S75 same S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 23:11
S77	14213	(route or router or bridge or routing) adj (path or line or direction or way)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 23:14
S78	116	(configur\$3 or establish\$3 or build\$3) same S77 same S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 23:16